

Nozzle Selection Chart

To properly select the correct nozzle for your system from the chart below, select the Max GPM of your machine from the left hand column. Secondly, select the Max PSI of your machine from the top row of the chart. Where the Max GPM row and Max PSI column intersect is the proper size nozzle for your system. (See highlighted cells for reference).

		Max PSI									
		500	1,000	1,500	2,000	3,000	3,500	4,000	4,500	5,000	6,000
G P M	2.0	5.5	4.0	3.5	3.0	2.5	2.0	2.0	2.0	2.0	1.5
	2.5	7.0	5.0	4.0	3.5	3.0	2.5	2.5	2.5	2.0	2.0
	3.0	8.5	6.0	5.0	4.0	3.5	3.0	3.0	3.0	2.5	2.5
	3.5	10.0	7.0	5.5	5.0	4.0	3.5	3.5	3.5	3.0	3.0
	4.0	12.0	8.0	6.5	5.5	4.5	4.5	4.0	4.0	3.5	3.5
	4.5	13.0	9.0	7.5	6.5	5.0	5.0	4.5	4.0	4.0	3.5
	5.0	15.0	10.0	8.0	7.0	6.0	5.5	5.0	4.5	4.5	4.0
	5.5	20.0	11.0	9.0	8.0	6.5	6.0	5.5	5.0	5.0	4.5
	6.0	20.0	12.0	10.0	8.5	7.0	6.5	6.0	5.5	5.5	5.0
	6.5	20.0	13.0	11.0	9.0	7.5	7.0	6.5	6.0	6.0	5.5
	7.0	20.0	15.0	12.0	10.0	8.0	7.5	7.0	6.5	6.5	5.5
	7.5	30.0	15.0	12.0	11.0	8.5	8.0	7.5	7.0	6.5	6.0
8.0	30.0	20.0	13.0	12.0	9.0	8.5	8.0	7.5	7.0	6.5	
8.5	30.0	20.0	15.0	12.0	10.0	9.0	8.5	8.0	7.5	7.0	
9.0	30.0	20.0	15.0	13.0	11.0	10.0	9.0	8.5	8.0	7.5	
10.0	30.0	20.0	20.0	15.0	12.0	11.0	10.0	10.0	9.0	8.0	
12.0	40.0	30.0	20.0	20.0	15.0	13.0	12.0	12.0	11.0	10.0	



1/4" QC Nozzles

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0
0°	17.0138	17.0145	17.0152	17.0159	17.0166	17.0173	17.0180	17.0187	17.0194	17.0201	17.0546	17.0550	17.0554	17.0558	17.0562	17.0566	17.0570
15°	17.0139	17.0146	17.0153	17.0160	17.0167	17.0174	17.0181	17.0188	17.0195	17.0202	17.0547	17.0551	17.0555	17.0559	17.0563	17.0567	17.0571
25°	17.0140	17.0147	17.0154	17.0161	17.0168	17.0175	17.0182	17.0189	17.0196	17.0203	17.0548	17.0552	17.0556	17.0560	17.0564	17.0568	17.0572
40°	17.0141	17.0148	17.0155	17.0162	17.0169	17.0176	17.0183	17.0190	17.0197	17.0204	17.0549	17.0553	17.0557	17.0561	17.0565	17.0569	17.0573

\$6.50 Each



1/4" Threaded Nozzles

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0
0°	17.0208	17.0212	17.0216	17.0220	17.0224	17.0228	17.0232	17.0236	17.0240	17.0244	17.0602	17.0606	17.0610	17.0614	17.0618	17.0622	17.0626
15°	17.0209	17.0213	17.0217	17.0221	17.0225	17.0229	17.0233	17.0237	17.0241	17.0245	17.0603	17.0607	17.0611	17.0615	17.0619	17.0623	17.0627
25°	17.0210	17.0214	17.0218	17.0222	17.0226	17.0230	17.0234	17.0238	17.0242	17.0246	17.0604	17.0608	17.0612	17.0616	17.0620	17.0624	17.0628
40°	17.0211	17.0215	17.0219	17.0223	17.0227	17.0231	17.0235	17.0239	17.0243	17.0247	17.0605	17.0609	17.0613	17.0617	17.0621	17.0625	17.0629

\$7.00 Each



1/8" Threaded Nozzles

	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
0°	17.0634	17.0638	17.0642	17.0646	17.0650	17.0654	17.0658	17.0662	17.0666
15°	17.0635	17.0639	17.0643	17.0647	17.0651	17.0655	17.0659	17.0663	17.0667
25°	17.0636	17.0640	17.0644	17.0648	17.0652	17.0656	17.0660	17.0664	17.0668
40°	17.0637	17.0641	17.0645	17.0649	17.0653	17.0657	17.0661	17.0665	17.0669

\$7.00 Each

1/4" QC Nozzle 4 Pack

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0142	2.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0149	2.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0156	3.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0163	3.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0170	4.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0177	4.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0184	5.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0191	5.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0198	6.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0205	6.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0576	7.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0578	7.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0580	8.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0582	8.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0584	9.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0586	9.5	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00
17.0588	10.0	0°, 15°, 25°, 40° 1/4" QC Nozzles	--	--	--	\$31.00



1/4" QC Nozzle 5 Pack

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0143	2.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0150	2.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0157	3.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0164	3.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0171	4.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0178	4.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0185	5.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0192	5.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0199	6.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0206	6.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0577	7.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0579	7.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0581	8.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0583	8.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0585	9.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0587	9.5	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75
17.0589	10.0	0°, 15°, 25°, 40° & 6540 Soap Nozzle	--	--	--	\$33.75





Stainless Fixed Sewer Nozzles

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0825	4.0	1/8" NPTF 3 Back + 1 Forward	5,000	--	--	\$10.00
17.0827	5.0	1/8" NPTF 3 Back + 1 Forward	5,000	--	--	\$10.00
17.0828	5.5	1/8" NPTF 3 Back + 1 Forward	5,000	--	--	\$10.00
17.0829	6.0	1/8" NPTF 3 Back + 1 Forward	5,000	--	--	\$10.00
17.0835	4.5	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0837	5.5	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0839	6.5	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0840	7.0	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0841	8.0	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0860	9.5	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$21.25
17.0842	12.0	1/4" NPTF 3 Back + 1 Forward	5,000	--	--	\$12.25
17.0844	4.5	3/8" NPFT 3 Back + 1 Forward	5,000	--	--	\$14.50
17.0846	5.5	3/8" NPFT 3 Back + 1 Forward	5,000	--	--	\$14.50
17.0848	6.5	3/8" NPFT 3 Back + 1 Forward	5,000	--	--	\$14.50
17.0850	8.0	3/8" NPFT 3 Back + 1 Forward	5,000	--	--	\$14.50
17.0851	12.0	3/8" NPFT 3 Back + 1 Forward	5,000	--	--	\$14.50



Stainless w/ Brass Rotating Sewer Nozzles

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0020	4.5	1/8" NPTF 3 Back	3,000	--	--	\$21.50
17.0852	5.5	1/8" NPTF 3 Back	3,000	--	--	\$22.00
17.0019	4.5	1/4" NPTF 3 Back	3,000	--	--	\$22.50
17.0853	5.5	1/4" NPTF 3 Back	3,000	--	--	\$22.50
17.0021	8.5	3/8" NPTF 3 Back	3,000	--	--	\$22.50



Brass Turbo Sewer Nozzles

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0354	4.0	1/8" NPTF .98" DIAMETER 3 Back + 1 Up Rotating	2,175	--	--	\$346.00
16.0355	6.0	1/8" NPTF .98" DIAMETER 3 Back + 1 Up Rotating	2,175	--	--	\$346.00
41.0843	4.0 Repair Kit	.98" DIAMETER 3 Back + 1 Up Rotating	--	--	--	\$129.00
41.0844	6.0 Repair Kit	.98" DIAMETER 3 Back + 1 Up Rotating	--	--	--	\$129.00

Soap Nozzles

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0024	Brass	1/4" NPTM 6540	--	--	--	\$3.50
17.0025	Brass	1/4" QC 6540	--	--	--	\$3.50



Steam Nozzle

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0023	Brass	1/4" NPTF - Flat	1,450	--	265°F	\$16.50



Nozzle Cleaners

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
17.0702	Plastic	1/4" QC	--	--	--	\$2.75
17.0703	Brass	1/4" QC	--	--	--	\$11.50



Nozzle Protectors

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
22.0211	Blue & Grey	1/4" Deluxe 3 Piece	--	--	--	\$7.75
41.0090	Black	1/4" Deluxe 3 Piece	--	--	--	\$6.75
41.0091	Black	1/4" 2 Piece	--	--	--	\$4.25



Lance Socket

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
38.0001	Lance Socket	1/4" NPTF x 1/4" NPTF	--	--	--	\$5.25



Dual Rollover Nozzle Holder

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0129	Nozzle Holder	1/4" NPTF x 1/4" NPTF - 1/4" NPTF	3,200	10.5	195°F	\$19.25



Hi Lo Trombone Valve

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
20.0073		1/4" NPTF x 1/4" NPTF - 1/4" NPTF	4,000	8	195°F	\$35.50



Adjustable Hyperjet Pressure Nozzle

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0061		1/4" NPTF x 1/4" NPTF w/ Nozzle Protector	3,600	--	300°F	\$34.75
16.0062		1/4" NPTF x 1/4" NPTF	3,600	--	300°F	\$30.25





Hi Lo Variable Nozzle

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0017	Not Included	1/4" FPT - Orifice Not Included	3,000	--	300°F	\$21.75
16.0001	1.1 mm	1/4" FPT - 3.0 Orifice - ○ White	3,000	--	300°F	\$23.50
16.0002	1.2 mm	1/4" FPT - 3.5 Orifice - ● Yellow	3,000	--	300°F	\$23.50
16.0003	1.3 mm	1/4" FPT - 4.5 Orifice - ● Orange	3,000	--	300°F	\$23.50
16.0004	1.4 mm	1/4" FPT - 5.0 Orifice - ● Red	3,000	--	300°F	\$23.50
16.0005	1.5 mm	1/4" FPT - 5.5 Orifice - ● Blue	3,000	--	300°F	\$23.50
16.0006	1.6 mm	1/4" FPT - 6.5 Orifice - ● Black	3,000	--	300°F	\$23.50
16.0007	1.7 mm	1/4" FPT - 7.5 Orifice - ● Brown	3,000	--	300°F	\$23.50
16.0008	1.8 mm	1/4" FPT - 8.0 Orifice - ● Green	3,000	--	300°F	\$23.50
17.0001	Replacement	1.1 mm - 3.0 Orifice - ○ White	--	--	--	\$3.50
17.0002	Replacement	1.2 mm - 3.5 Orifice - ● Yellow	--	--	--	\$3.50
17.0003	Replacement	1.3 mm - 4.5 Orifice - ● Orange	--	--	--	\$3.50
17.0004	Replacement	1.4 mm - 5.0 Orifice - ● Red	--	--	--	\$3.50
17.0005	Replacement	1.5 mm - 5.5 Orifice - ● Blue	--	--	--	\$3.50
17.0006	Replacement	1.6 mm - 6.5 Orifice - ● Black	--	--	--	\$3.50
17.0007	Replacement	1.7 mm - 7.5 Orifice - ● Brown	--	--	--	\$3.50
17.0008	Replacement	1.8 mm - 8.0 Orifice - ● Green	--	--	--	\$3.50



Hi Lo Variable Nozzle Extension

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
14.0337	18"	Non Molded Plated Steel M22M x 1.1 mm	3,000	--	300°F	\$35.00
14.0296	18"	Non Molded Plated Steel M22M x 1.2 mm	3,000	--	300°F	\$35.00
14.0338	18"	Non Molded Plated Steel M22M x 1.3 mm	3,000	--	300°F	\$35.00



Water Broms

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
22.0100	12"	3 Nozzle Ports (Nozzles Not Included)	--	--	--	\$67.00
22.0101	16"	4 Nozzle Ports (nozzles Not Included)	--	--	--	\$80.00
22.0402	12"	3 Nozzles Installed	--	--	--	\$97.00
22.0403	12"	3 Nozzles Installed w/ 1/4" QC Inlet	--	--	--	\$98.50
22.0404	12"	3 Nozzles Installed w/ M22 M Inlet	--	--	--	\$101.00
22.0405	16"	4 Nozzles Installed	--	--	--	\$98.25
22.0406	16"	4 Nozzles Installed w/ 1/4" QC Inlet	--	--	--	\$111.50
22.0407	16"	4 Nozzles Installed w/ M22 M Inlet	--	--	--	\$113.50

3,700 Max PSI Turbo Nozzles

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0068	2.0	1/4" NPTF	3,700	--	195°	\$144.50
16.0069	2.5	1/4" NPTF	3,700	--	195°	\$144.50
16.0070	3.0	1/4" NPTF	3,700	--	195°	\$144.50
16.0071	3.5	1/4" NPTF	3,700	--	195°	\$144.50
16.0072	4.0	1/4" NPTF	3,700	--	195°	\$144.50
16.0073	4.5	1/4" NPTF	3,700	--	195°	\$144.50
16.0074	5.0	1/4" NPTF	3,700	--	195°	\$144.50
16.0075	5.5	1/4" NPTF	3,700	--	195°	\$144.50
16.0076	6.0	1/4" NPTF	3,700	--	195°	\$144.50
16.0077	6.5	1/4" NPTF	3,700	--	195°	\$144.50
41.0051	2.0 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0052	2.5 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0053	3.0 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0054	3.5 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0055	4.0 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0056	4.5 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0057	5.0 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0058	5.5 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0059	6.0 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00
41.0060	6.5 Repair Kit	Rotor, Seat & O-Ring	3,700	--	195°	\$100.00



4,000 Max PSI Turbo Nozzles

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0221	2.5	1/4" NPTF	4,000	--	195°	\$133.50
16.0222	3.0	1/4" NPTF	4,000	--	195°	\$133.50
16.0223	3.5	1/4" NPTF	4,000	--	195°	\$133.50
16.0224	4.0	1/4" NPTF	4,000	--	195°	\$133.50
16.0225	4.5	1/4" NPTF	4,000	--	195°	\$133.50
16.0226	5.0	1/4" NPTF	4,000	--	195°	\$133.50
16.0227	5.5	1/4" NPTF	4,000	--	195°	\$133.50
16.0228	6.0	1/4" NPTF	4,000	--	195°	\$133.50
16.0339	8.0	1/4" NPTF	4,000	--	195°	\$133.50
41.0374	2.5 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0375	3.0 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0376	3.5 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0377	4.0 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0378	4.5 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0379	5.0 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0380	5.5 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0381	6.0 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00
41.0802	8.0 Repair Kit	Rotor, Seat & O-Ring	4,000	--	195°	\$67.00





4,000 Max PSI Turbo Nozzles With High Pressure Filter Installed

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0295	3.0	1/4" NPTF W/ 1/4" QC H.P. Filter	4,000	--	195°	\$155.00
16.0296	3.5	1/4" NPTF W/ 1/4" QC H.P. Filter	4,000	--	195°	\$155.00
16.0297	4.0	1/4" NPTF W/ 1/4" QC H.P. Filter	4,000	--	195°	\$155.00
16.0298	4.5	1/4" NPTF W/ 1/4" QC H.P. Filter	4,000	--	195°	\$155.00



High Pressure Filter

Part No.	Type	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0046	Installed Filter	QC High Pressure Filter Upgrade (23.0014 Installed On Turbo Nozzle)				\$23.25
23.0013	w/o Plug	1/4" NPTF x 1/4" NPTM	6,000	--	300°	\$18.50
23.0014	w/ Plug	1/4" M QC Plug x 1/4" NPTM	6,000	--	300°	\$20.00
41.0035	Repair Kit	HP Filter Repair Kit For Items 23.0013 & 23.0014	--	--	--	\$11.50



5,000 Max PSI Turbo Nozzles

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0078	3.0	1/4" NPTF	5,000	--	195°	\$191.50
16.0079	3.5	1/4" NPTF	5,000	--	195°	\$191.50
16.0080	4.0	1/4" NPTF	5,000	--	195°	\$191.50
16.0081	4.5	1/4" NPTF	5,000	--	195°	\$191.50
16.0082	5.0	1/4" NPTF	5,000	--	195°	\$191.50
16.0083	5.5	1/4" NPTF	5,000	--	195°	\$191.50
16.0084	6.0	1/4" NPTF	5,000	--	195°	\$191.50
16.0085	6.5	1/4" NPTF	5,000	--	195°	\$191.50
16.0086	7.0	1/4" NPTF	5,000	--	195°	\$191.50
41.0061	3.0 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0062	3.5 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0063	4.0 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0064	4.5 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0065	5.0 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0066	5.5 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0067	6.0 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0068	6.5 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00
41.0069	7.0 Repair Kit	Rotor, Seat & O-Ring	5,000	--	195°	\$129.00



5,800 Max PSI Hydro Excavating Turbo Nozzles

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0375	10.0	1/4" NPTF	5,800	--	195°	\$397.00
16.0377	12.0	1/4" NPTF	5,800	--	195°	\$397.00

5,800 Max PSI Turbo Nozzles

Part No.	Size	Product Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
16.0090	3.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0091	3.5	1/4" NPTF	5,800	--	195°	\$335.00
16.0092	4.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0093	4.5	1/4" NPTF	5,800	--	195°	\$335.00
16.0094	5.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0095	5.5	1/4" NPTF	5,800	--	195°	\$335.00
16.0096	6.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0097	6.5	1/4" NPTF	5,800	--	195°	\$335.00
16.0098	7.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0099	7.5	1/4" NPTF	5,800	--	195°	\$335.00
16.0100	8.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0101	9.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0087	10.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0102	11.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0088	12.0	1/4" NPTF	5,800	--	195°	\$335.00
16.0344	15.0	1/4" NPTF	5,800	--	195°	\$402.00
16.0345	18.0	1/4" NPTF	5,800	--	195°	\$402.00
16.0346	20.0	1/4" NPTF	5,800	--	195°	\$402.00
41.0072	3.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0073	3.5 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0074	4.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0075	4.5 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0076	5.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0077	5.5 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0078	6.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0079	6.5 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0080	7.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0081	7.5 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0082	8.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0083	9.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0070	10.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0085	11.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0071	12.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$139.00
41.0817	15.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$226.25
41.0818	18.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$226.25
41.0819	20.0 Repair Kit	Rotor, Seat & O-Ring	5,800	--	195°	\$226.25

