



### Non Molded Stainless Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
28.0267	20"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$18.30
28.0117	24"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$21.40
28.0268	28"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$25.30
28.0118	36"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$29.40
28.0119	48"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$44.80
28.0120	60"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$53.40
28.0272	78"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$67.80



### Non Molded Zinc Plated Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
28.0277	12"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$5.40
28.0278	18"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$6.70
28.0279	20"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$7.50
28.0280	24"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$8.80
28.0281	36"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$12.90
28.0282	48"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$15.70
28.0283	60"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$19.30
28.0284	78"	1/4" NPT x 1/4" NPT	4,100	10.5	300°F	\$25.30



### Non Molded Aluminum Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
28.0001	12"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$5.70
28.0002	18"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$8.20
28.0003	24"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$11.10
28.0004	36"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$16.00
28.0005	47"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$18.80
28.0006	59"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$22.40
28.0007	79"	1/4" NPT x 1/4" NPT	3,600	10.5	300°F	\$30.40



### Non Molded Zinc Extension Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0096	36"	1/4" MPT x Brass QC Coupler	4,100	10.5	300°F	\$30.25
28.0022	18"	M22M x 1/4" QC Coupler	4,100	10.5	300°F	\$20.30
28.0023	24"	M22M x 1/4" QC Coupler	4,100	10.5	300°F	\$22.30

### Vented MT2 Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0003	28"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$33.20
12.0004	36"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$36.10
12.0005	47"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$46.40
12.0019	36"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$58.50
12.0020	47"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$92.30



### Oval Molded MT3 Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
14.0050	28"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$26.30
14.0051	36"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$28.10
14.0052	47"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$36.60
14.0054	79"	Zinc Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$59.50
14.0055	28"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$41.80
14.0056	36"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$45.60
14.0057	47"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$62.60
14.0058	59"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$80.90
14.0059	79"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$101.50



### Round Molded Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0463	12"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$10.00
12.0464	18"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$11.00
12.0053	28"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$14.40
12.0054	36"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$18.50
12.0055	47"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$23.60
12.0056	59"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$29.75
12.0057	79"	Plated Steel 1/4" NPTM x 1/4" NPTM	4,100	10.5	300°F	\$35.75



### MT8 Vented Grips

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
41.0089	Replacement	MT8 Black Vented Grip w/o Pipe	--	--	--	\$13.90
41.0383	Replacement	MT8 Blue Vented Grip w/o Pipe	--	--	--	\$13.90





### Dual MT8 Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0505	42"	1/4" Zinc Plated 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$99.70
12.0506	42"	1/4" <b>Stainless</b> 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$137.40
12.0512	42"	1/4" <b>Stainless</b> w/ Chem Nozzle 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$143.30
12.0513	42"	1/4" <b>Stainless</b> w/ Chem. Nozzle, & QC 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$154.60
12.0526	42"	1/4" Zinc Plated w/ Chem. Nozzle, & QC 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$105.70



### Dual MT5 Spray Lances

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0039	37"	1/8" Zinc Plated Steel 1/4" BSPM x 1/4" BSPF	3,600	10.5	300°F	\$122.00



### Dual Spray Lance With Trigger

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0591	47"	1/8" <b>Stainless</b> 1/4" BSPM x 1/4" BSPF	3,600	10.5	300°F	\$175.00



### Dual Lance Replacements

Part No.	Type	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0001	Side Handle	Side Handle w/ Brass Nut	--	--	--	\$10.25
24.0060	Nut	Open C Hook For Side Handle	--	--	--	\$1.30
41.0033	Repair Kit	Dual Lance Repair Kit w/ Trigger	--	--	--	\$20.80
41.5000	Full Repair Kit	MT8 Dual Lance Full Repair Kit w/ Handle	--	--	--	\$20.50

### Deluxe TL28 Lance

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
27.0080	18'	Telescoping Wand w/ Support Belt Kit	4,100	--	250°F	\$370.00
27.0082	24'	Telescoping Wand w/ Support Belt Kit	4,100	--	250°F	\$462.00
24.0500	Ring Nut	M22 x 1.5"F	--	--	--	\$25.25
27.0083	Replacement	Telescoping Lance Suppor Belt Kit	--	--	--	\$48.00
27.0089	Replacement	Non Molded Telescoping Lance Extension	--	--	--	\$18.20
30.0159	Replacement	5/16" Replacement Hose For 18' Lance	--	--	--	\$131.50
30.0160	Replacement	5/16" Replacement Hose For 24' Lance	--	--	--	\$131.50
41.0385	Replacement	Telescoping Lance Gun Assembly	--	--	--	\$137.00
41.0609	Replacement	Large & Small Pole Pin Lock Snap Collars	--	--	--	\$17.20



### Gutter Cleaning Attachments

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
22.0110	--	1/4" QC Plug x 1/4" QC Coupler	--	--	--	\$16.40
22.0334	28"	1/4" MPT x 1/4" QC Coupler	--	--	--	\$28.75
22.0339	28"	1/4" QC Plated Steel Plug x 1/4" QC Brass Coupler	--	--	--	\$43.00
22.0340	28"	M22 Brass Plug x 1/4" QC Brass Coupler	--	--	--	\$43.00



### Insulated Car Wash Lance

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0050	36"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTF	4,100	10.5	300°F	\$73.25



### Car Wash Lance

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
30.0225	16"	1/4" NPTM x 1/4" NPTM w/ Coil Spring Guard	3,000	--	90°F	\$53.75
30.0226	16"	1/4" NPTM x 1/4" NPTM w/ Coil Spring Gaurd & Nozzle Protector	3,000	--	90°F	\$56.50



### Bendable Car Wash Lance

Part No.	Size	Type Details (Inlet x Outlet)	Max PSI	Max GPM	Max F°	Each
12.0059	18"	Zinc Plated 1/4" NPTM x 1/4" NPTM	2,500	8	195°F	\$27.75
12.0061	18"	<b>Stainless</b> 1/4" NPTM x 1/4" NPTM	2,500	8	195°F	\$44.00

